

Request for Quotation

14 November 2019

The **TOURISM PROMOTIONS BOARD** invites you to submit quotations for the item/s listed below;

Quotation No. TPB-PR.2019.11.990

PR No. 11.030 / 04 Nov. 2019

Requirements : **HARDWARE SCANNER**

Project Title :

Quantity	Particulars	Estimated Unit Price	Estimated Total Amount
10 LOT	<p>HARDWARE SCANNER</p> <p>Note:</p> <ol style="list-style-type: none"> 1) Please see attached Scanner Technical Specification Requirement 2) Please include in your bid quotation the brochure of the scanner 	P100,000.00	P1,000,000.00
Terms	30 days upon receipt of invoice		
ABC	Php 1,000,000.00 inclusive of all applicable taxes		

Please submit your quotation and legal documents not later than 20 November 2019, 5:00 PM thru email at soc_torres@tpb.gov.ph or thru fax no. 02 8526-5971, subject to the Terms and Conditions attached herewith, stating the shortest time of delivery, duly signed by your representative to the Procurement and General Services Division, Administrative Department, 4th Floor, Legaspi Towers 300, Roxas Blvd., Manila.

Please address your quotation to the undersigned.

Thank you very much.

ROSELLE D. ROMERO

Acting Head

Procurement and General Services Division

Contact Person

SOCRATES G. TORRES

Contact No

8525-93-18 loc. 266
soc_torres@tpb.gov.ph

Note: All entries must be typewritten in your company letterhead.

Price Validity shall be for a period of thirty (30) calendar days.

Suppliers must submit the following legal documents to be eligible to participate in the bidding:

1. SEC/DTI Registration Certificate
2. Updated Mayor's Permit/License
3. BIR Registration / TIN
4. Company Profile/Reference
5. PhilGEPs Certificate
6. Notarized Omnibus Sworn Statement same date with your Bid Quotation
7. Notarized Authority of the Signatory
(Notarized with same date of your bid quotation)
Secretary's Certificate if SEC or
Special Power of Attorney if DTI
8. Latest Income Tax Return

SCANNERS TECHNICAL SPECIFICATION REQUIREMENT

- 1 Recommended Daily Volume - up to 7,000 pages per day
- 2 Throughput Speeds – Black and White/gray scale/color up to 70 ppm/140 ipm at 200 and 300 dpi
- 3 Scanning Technology - Dual CIS; Grayscale output bit depth is 256 levels (8-bit); color output bit depth is 24 bits (8 x 3)
- 4 Processor - Embedded Dual Core Cortex A15 Processors (1.5GHz) with Dual DSP (750 MHz) Image Processors with Multiple Cortex M4 Sub-processors
- 5 Operator Control Panel - 1.5-inch color LCD
- 6 Optical Resolution - 600 dpi
- 7 Illumination - Dual RGB LEDs
- 8 Output Resolution - 75 / 100 / 150 / 200 / 240 / 250 / 300 / 400 / 500 / 600 / 1200 dpi
Max./Min. Document Size** - 216 mm x 356 mm (8.5 x 14 in.) / 52 mm x 52 mm (2.08 in. x 2.05 in.) Long document
9 mode: 216 mm x 3,000 mm (8.5 in. x 118 in.)
- 10 Paper Thickness & Weight - 27-433 g/m² (7.2 lb. bond paper - 160 lb. cover stock)
ID card thickness: up to 1.4 mm (0.55 in.)
- 11 Feeder - Up to 80 sheets of 80 g/m² (20 lb.) paper Handles small documents such as A8, ID cards, embossed hard cards, and insurance cards (portrait and landscape orientations).
- 12 Paper Feeding Detection - Multifeed with ultrasonic technology, Intelligent Document Protection
- 13 Connectivity - USB 3.1 GEN1 (Compatible with USB 2.0 and 3.0)
- 14 R
- 15 *Standard Software:*
 - WINDOWS Bundled software: TWAIN, ISIS, WIA Drivers
 - Smart Touch
 - Capture Pro Software Limited Edition (via web download)
- Optional Software:*
 - Info Input Solution
 - Capture Pro Software (Windows only)
 - Asset Management Software
- 16 Imaging Features



- Barcode reading (10 types, up to 6 per side), Perfect Page Scanning; iThresholding; adaptive threshold processing; deskew; autocrop; relative cropping; fixed crop; add/ remove border; electronic color dropout; dual stream scanning; enhanced color management; enhanced color adjustment; brightness and contrast adjustment; automatic orientation; automatic color detection; background color smoothing; intelligent image edge fill; image merge; content-based blank page detection; streak filtering; round/rectangular hole fill; sharpness filter; auto brightness; auto white balance; all-color dropout; multi-color dropout; long document scanning (up to 3000 mm/118 in.); sleeve scanning (for scanning A3 documents); black and white image segmentation; automatic photo cropping; Multiple document output; image split; digital stamping
- 17 File Format Outputs - Single and multi-page TIFF, JPEG, RTF, BMP, PDF, searchable PDF, TXT, PNG, CSV, Word and Excel.
- 18 Electrical Requirements -100-240 V (International); 50-60 Hz
- 19 Power Consumption - Off: < 0.5 watts; Sleep mode: < 3.0 watts; Running: < 36 watts
- 20 Environmental Factors
EPEAT Registered ENERGY STAR Qualified Operating Temperature: 10-35° C (50-95° F) Operating Humidity: 15% to 80% RH
- Acoustical Noise (operator position sound pressure level) - Off or Ready mode: <20 dB(A) Scanning: <50dB(A)
- 21 Recommended PC Configuration
Minimum PC configuration with scanning application:
Intel Core i3 processor or faster, at least 4 GB RAM (Microsoft Windows)
- 22 Approval & Product Certifications
AS/NZS CISPR 32 (Class B RCM mark), CAN / CSA – C22.2 No 60950-1 (TUV C mark), Canada CSA-CISPR 32 / ICES-003 (Class B), China GB4943.1; GB9254 Class B (CCC S&E mark), EN55032 ITE Emissions (Class B), EN55024 ITE Immunity (CE mark), EN60950-1 (TUV GS mark), IEC60950-1:2005, Taiwan CNS 13438 (Class B); CNS 14336-1 (BSMI mark), UL 60950-1 (TUV US mark), CFR 47 Part 15 (FCC Class B)
- 23 Dimensions
Weight: 3.3 kg (7.2 lbs.) Depth: 204 mm (8.0 in.), not including input tray and output tray;
Width: 312 mm (12.3 in.) Height: 182.5 mm (7.2 in.), not including input tray;
Depth with Input Tray: 269 mm (10.6 in.);
Height with Input Tray: 231.6 mm (9.1 in.)
- 24 Brochure/s of the scanner