



# **PHILIPPINE BIDDING DOCUMENTS**

(As Harmonized with Development Partners)

**DELIVERY, INSTALLATION,  
CONFIGURATION, COMMISSIONING,  
MIGRATION, AND SUPPORT SERVICES  
FOR HYPER-CONVERGED  
INFRASTRUCTURE APPLIANCE  
TPB-ITB No. 2022-30**

**Government of the Republic of the Philippines**

**Sixth Edition  
July 2020**

# Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## Table of Contents

<b>Glossary of Acronyms, Terms, and Abbreviations .....</b>	<b>4</b>
<b>Section I. Invitation to Bid.....</b>	<b>7</b>
<b>Section II. Instructions to Bidders.....</b>	<b>11</b>
1. Scope of Bid .....	12
2. Funding Information.....	12
3. Bidding Requirements .....	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices .....	12
5. Eligible Bidders.....	12
6. Origin of Goods .....	13
7. Subcontracts .....	13
8. Pre-Bid Conference .....	14
9. Clarification and Amendment of Bidding Documents .....	14
10. Documents comprising the Bid: Eligibility and Technical Components .....	14
11. Documents comprising the Bid: Financial Component .....	15
12. Bid Prices .....	15
13. Bid and Payment Currencies .....	16
14. Bid Security .....	16
15. Sealing and Marking of Bids .....	16
16. Deadline for Submission of Bids .....	16
17. Opening and Preliminary Examination of Bids .....	16
18. Domestic Preference .....	17
19. Detailed Evaluation and Comparison of Bids .....	17
20. Post-Qualification .....	17
21. Signing of the Contract .....	18
<b>Section III. Bid Data Sheet .....</b>	<b>19</b>
<b>Section IV. General Conditions of Contract .....</b>	<b>24</b>
1. Scope of Contract .....	25
2. Advance Payment and Terms of Payment .....	25
3. Performance Security .....	25
4. Inspection and Tests .....	26
5. Warranty .....	26
6. Liability of the Supplier .....	26
<b>Section V. Special Conditions of Contract .....</b>	<b>27</b>
<b>Section VI. Schedule of Requirements .....</b>	<b>29</b>
<b>Section VII. Technical Specifications .....</b>	<b>31</b>
<b>Section VIII. Checklist of Technical and Financial Documents .....</b>	<b>59</b>

# ***Glossary of Acronyms, Terms, and Abbreviations***

**ABC** – Approved Budget for the Contract.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**CDA** - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

**CIP** – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

**DDP** – Refers to the quoted price of the Goods, which means “delivered duty paid.”

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

**FCA** – “Free Carrier” shipping point.

**FOB** – “Free on Board” shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

**GOCC** – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

**UN** – United Nations.

## ***Section I. Invitation to Bid***

### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



**Invitation to BID**  
**DELIVERY, INSTALLATION, CONFIGURATION,**  
**COMMISSIONING, MIGRATION, AND SUPPORT**  
**SERVICE FOR HYPER-CONVERGED**  
**INFRASTRUCTURE APPLIANCE**  
*(TPB-ITB No. 2022-030)*

1. The **Tourism Promotions Board (TPB)**, through the Corporate Budget FY 2022, intends to apply the sum of **Eight Million Six Hundred Thousand Pesos (Php8,600,000.00)**, inclusive of all applicable taxes, being the ABC to payments under the contract for the **Delivery, Installation, Configuration, Commissioning, Migration, and Support Service for Hyper-Converged Infrastructure Appliance (HCIA)**.

Interested bidders may participate provided that the Technical and Financial Documents shall be completely submitted as prescribed in the bidding documents. Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The TPB now invites bids for the above Procurement Project. **Delivery of the Items/Services commence/start upon issuance of Notice To Proceed.** Bidders should have completed, within the last **five (5) years** from the date of submission and receipt of bids, a contract similar to the project, contract should at least be **fifty percent (50%) of the ABC**. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

**Attach the Certificate of Satisfactory Completion for Single Largest Completed Contract (SLCC).**

**For the statement of all ongoing government and private contracts, attach any of the following: the signed Notice of Award, Notice to Proceed, or Contract/Purchase Order.**

**Failure to submit the certificate of completion of the project or any proof thereof, including the supporting documents shall be a ground for disqualification of eligibility.**

**Please be informed that the Tourism Promotions Board is evaluating our suppliers' performance based on these criteria: Quality (40%), Cost (25%), Timeliness (25%), and Customer Service (10%);**

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country

the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **TPB – Bids and Awards Committee Secretariat** and inspect the Bidding Documents at the address given below from 8:00 a.m. to 5:00 p.m. Monday to Friday excluding holidays.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **October 10, 2022 to October 31, 2022 (9:30 a.m.)** from the given address and website(s) below *and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB.*

The cost of bidding documents shall correspond to the ABC range as indicated in the table below. This shall be the maximum amount of fee that procuring entities can set for the acquisition of bidding documents.

Approved Budget for the Contract	Maximum Cost of Bidding Documents (in Philippine Peso)
500,000 and below	500.00
More than 500,000 up to 1 Million	1,000.00
More than 1 Million up to 5 Million	5,000.00
More than 5 Million up to 10 Million	10,000.00

Bidding Document Amount: PhP10,000.00 (excluding bank and other charges)

Mode of Payment of Bidding Document

- a) Fund/Bank Transfer:  
Tourism Promotions Board bank details:  
Account Name: Tourism Promotions Board  
Account Number: 1772-1034-13  
Bank: Land Bank of the Philippines  
Branch Address: Ground Floor Century Park Hotel  
Harrison Plaza, Adriatico St., Malate Manila

Bidders who have tend to pay the bidding documents via fund/bank transfer, facilitate the payment three (3) working days before the deadline of submission of bids in order for the TPB Cash Division to issue an Official Receipt and other relevant document

- b) Cash Payment: Pay in cash at the TPB Office Cash Unit.
6. The TPB will hold a Pre-Bid Conference on **October 18, 2022, 3:00 p.m.** through video conferencing or webcasting via Zoom Link which shall be open to prospective bidders.

Meeting ID: 967 8735 6747

Passcode: 714231

7. Bids must be duly received by the BAC Secretariat through **manual submission** at the office address indicated below, on or before **October 31, 2022, 10:00 a.m.** Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening (manual opening) shall be on **October 31, 2022, 3:00 p.m.** at the given address below. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

TPB Office  
4<sup>th</sup> Floor Legaspi Towers 300 Roxas Boulevard  
Malate, Manila

10. The TPB reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:  
*Ms. Eloisa A. Romero / Mr. Socrates G. Torres*  
*BAC Secretariat, Administrative Department*  
***Tourism Promotions Board***  
*4th Floor Legaspi Towers 300, Roxas Boulevard, Manila*  
*Tel. Nos. 8 525-9318 loc. 261*  
*Email at [bac\\_sec@tpb.gov.ph](mailto:bac_sec@tpb.gov.ph), [soc\\_torres@tpb.gov.ph](mailto:soc_torres@tpb.gov.ph)*

---

***Atty. Venancio C. Manuel III***  
*Chairperson*  
*Bids and Award Committee*

## ***Section II. Instructions to Bidders***

### **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

## 1. Scope of Bid

The Procuring Entity, **Tourism Promotions Board (TPB)** wishes to receive Bids for the **DELIVERY, INSTALLATION, CONFIGURATION, COMMISSIONING, MIGRATION, AND SUPPORT SERVICE FOR HYPER-CONVERGED INFRASTRUCTURE APPLIANCE** with identification number **ITB No. 2022-030**.

The Procurement Project (referred to herein as “Project”) is composed of **One (1) Lot**, the details of which are described in Section VII (Technical Specifications).

## 2. Funding Information

2.1. The GOP through the source of funding as indicated below for **FY 2022** in the amount of **Eight Million Six Hundred Thousand Pesos (Php8,600,000.00)**.

2.2. The source of funding is:

**Corporate Operating Budget CY 2022.**

## 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

## 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

## 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
- i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
  - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
  - iii. When the Goods sought to be procured are not available from local suppliers; or
  - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- a. For the procurement of Non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

## 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

## 7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that:

- a. **Subcontracting is not allowed.**
- 7.2. *[If Procuring Entity has determined that subcontracting is allowed during the bidding, state:]* The Bidder must submit together with its Bid the documentary requirements of the subcontractor(s) complying with the eligibility criteria

stated in **ITB** Clause 5 in accordance with Section 23.4 of the 2016 revised IRR of RA No. 9184 pursuant to Section 23.1 thereof.

- 7.3. *[If subcontracting is allowed during the contract implementation stage, state:]* The Supplier may identify its subcontractor during the contract implementation stage. Subcontractors identified during the bidding may be changed during the implementation of this Contract. Subcontractors must submit the documentary requirements under Section 23.1 of the 2016 revised IRR of RA No. 9184 and comply with the eligibility criteria specified in **ITB** Clause 5 to the implementing or end-user unit.
- 7.4. Subcontracting of any portion of the Project does not relieve the Supplier of any liability or obligation under the Contract. The Supplier will be responsible for the acts, defaults, and negligence of any subcontractor, its agents, servants, or workmen as fully as if these were the Supplier's own acts, defaults, or negligence, or those of its agents, servants, or workmen.

## **8. Pre-Bid Conference**

The Procuring Entity will hold a pre-bid conference for this Project on **October 18, 2022 3:00 P.M. through video conferencing or webcasting via Zoom Link which shall be open to prospective bidders.**

**Meeting ID: 967 8735 6747      Passcode: 714231**

## **9. Clarification and Amendment of Bidding Documents**

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

## **10. Documents comprising the Bid: Eligibility and Technical Components**

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within **five (5) years** prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May

2019. The English translation shall govern, for purposes of interpretation of the bid.

## 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.
- 11.5. *[Include if Framework Agreement will be used:].*

## 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
    - ii. The cost of all customs duties and sales and other taxes already paid or payable;
    - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
    - iv. The price of other (incidental) services, if any, listed in e.
  - b. For Goods offered from abroad:
    - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
    - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications)**.



### 13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in: **Philippine Pesos.**

### 14. Bid Security

14.1. The Bidder shall submit a Bid Securing Declaration<sup>1</sup> or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.

14.2. The Bid and bid security shall be valid until, **120 days from the date of the opening of bids**. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing,

---

<sup>1</sup> In the case of Framework Agreement, the undertaking shall refer to entering into contract with the Procuring Entity and furnishing of the performance security or the performance securing declaration within ten (10) calendar days from receipt of Notice to Execute Framework Agreement.

webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

## **18. Domestic Preference**

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

## **19. Detailed Evaluation and Comparison of Bids**

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated “*passed*,” using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:
- Option - One Project having several items that shall be awarded as one contract.**
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

## **20. Post-Qualification**

- 20.1. *[Include if Framework Agreement will be used:]*
- 20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

## **21. Signing of the Contract**

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

## ***Section III. Bid Data Sheet***

### **Notes on the Bid Data Sheet**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.


The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:  <i><b>Delivery, Installation, Configuration, Commissioning, Migration, and Support Services for Hyper-Converged Infrastructure Appliance.</b></i>
7.1	<i>Subcontracting is not allowed.</i>
12	<i>The price of the Items/Goods shall be quoted DDP,TPB Office, 4<sup>th</sup> Floor Legaspi Towers 300 Roxas Boulevard Malate, Manila or the applicable International Commercial Terms (INCOTERMS) for this project.</i>
14.1	<p>The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:</p> <p><b>ABC: Php8,600,000.00</b></p> <ol style="list-style-type: none"> <li>The amount of not less than <b>Php172,000.00</b> [amount equivalent to two percent (2%) of ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or</li> <li>The amount of not less than <b>Php430,000.00</b> [amount equivalent to five percent (5%) of ABC] if bid security is in Surety Bond.</li> </ol>
15	<p><b>Documents comprising the Bid: Eligibility and Technical Components</b></p> <p>The first envelope shall contain the eligibility and technical documents of the Bid as specified in <b>Bidding Document Section VIII (Checklist of Technical and Financial Documents)</b>.</p> <ol style="list-style-type: none"> <li>1) Attach the Certificate of Satisfactory Completion for Single Largest Completed Contract within the <b>last five (5) years</b> from the date of submission and receipt of bids.</li> <li>2) For the statement of all ongoing government and private contract attached any of the following: signed Notice of Award, Notice to Proceed, Contract/Purchase Order.</li> <li>3) Failure to submit the certificate of completion of the project or any proof thereof, including the supporting documents shall be a ground for</li> </ol>

	<p>disqualification of eligibility</p> <p>4) Submission of PhilGEPS Platinum Certification and Membership shall be observed in accordance with "GPPB Resolution No. 15-2021: Lifting the Suspension of the Mandatory Submission of PhilGEPS Platinum Certification and Membership in Competitive Bidding and Limited Source Bidding"</p> <p><b>Documents comprising the Bid: Financial Component</b></p> <p>The second bid envelope shall contain the financial documents for the Bid as specified in <b>Bidding Document Section VIII (Checklist of Technical and Financial Documents)</b>.</p> <p>Bidders shall submit their bids through their duly authorized representative using the appropriate forms before the deadline specified in the <b>ITB No. 2022-030</b> in two (2) separate sealed bid envelopes, and which shall be submitted simultaneously. The first shall contain the technical component of the bid, including the eligibility requirements and the second shall contain the financial component of the bid. This shall also be observed for each lot in the case of lot procurement</p> <p>The Bidder shall prepare and submit an original of the first and second envelopes. In addition, the Bidder shall submit 2 copies of the first and second envelopes. In the event of any discrepancy between the original and the copies, the original shall prevail.</p> <p>Each and every page of the Bid Proposal, including the Schedule of Prices, shall be signed by the duly authorized representative/s of the Bidder.</p> <p><b>Sealing and Marking of Bids</b></p> <p>Bidders shall enclose their original eligibility and technical documents in one sealed envelope marked "ORIGINAL - TECHNICAL COMPONENT", and the original of their financial component in another sealed envelope marked "ORIGINAL - FINANCIAL COMPONENT", sealing them all in an outer envelope marked "ORIGINAL BID".</p> <p>Each copy of the first and second envelopes shall be similarly sealed duly marking the inner envelopes as "COPY NO. ____ - TECHNICAL COMPONENT" and "COPY NO. ____ – FINANCIAL COMPONENT" and the outer envelope as "COPY NO. ____", respectively. These envelopes containing the original and the copies shall then be enclosed in one single envelope.</p>
15.1	<p>A complete set of Bidding Documents must/shall be submitted per Lot</p> <p>Envelope Illustration on the manners of submission.</p>



#### Legal and Technical Component

- 1) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages)
- 2) Statement of all its ongoing government and private contract within five (5) years including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid.
- 3) Statement of Single Largest Completed Contract (SLCC) similar to the contract to be bid within five (5) years, contract should be atleast fifty percent (50%) of the ABC
- 4) Net Financial Contracting Capacity (NFCC), computation must be at least equal to ABC or a committed Line of Credit from a Universal or Commercial Bank
- 5) Audited Financial Statements, showing, among others, the supplier' total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission
- 6) Valid joint Venture Agreement, if applicable
- 7) Bid Security: Notarized Bid Securing Declaration or Cash or Cashier's/ Manager's check, 2% of

	<p>the ABC or Surety Bond - 5% of the ABC</p> <p>8) Conformity with Technical Specifications as enumerated and specified in Section VII of the Bidding Documents (Technical Specifications) duly signed by company representative.</p> <p>9) Notarized Omnibus Sworn Statement</p> <p><b>Additional Technical Components: All Bid Supplement issue by TPB (if any) and Technical Documents as specified in the Technical Specifications need to submit</b></p> <p>Financial Component:</p> <p>1) Accomplished Bid Form</p> <p>2) Accomplished Price Schedule</p>
19.3	<p>1 Lot Only (Lot Number 1)</p> <p><b>DELIVERY, INSTALLATION, CONFIGURATION, COMMISSIONING, MIGRATION, AND SUPPORT SERVICE FOR HYPER-CONVERGED INFRASTRUCTURE APPLIANCE (TPB-ITB No. 2022-030)</b></p> <p><b>ABC: Php8,600,000.00</b></p>
20.2	<i>Not Applicable</i>
21.2	<i>Not Applicable</i>



## ***Section IV. General Conditions of Contract***

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

## 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

## 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

*[Include the following clauses if Framework Agreement will be used:]*

- 2.3. For a single-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier in its bid.
- 2.4. For multi-year Framework Agreement, prices charged by the Supplier for Goods delivered and/or services performed under a Call-Off shall not vary from the prices quoted by the Supplier during conduct of Mini-Competition.

## 3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.*{[Include if Framework Agreement will be used:] In the case of Framework Agreement, the Bidder may opt to furnish the performance security or a Performance Securing Declaration as defined under the Guidelines on the Use of Framework Agreement.}*

#### **4. Inspection and Tests**

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project *{[Include if Framework Agreement will be used:] or Framework Agreement}* specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section IV (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### **5. Warranty**

- 6.1. In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 6.2. The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### **6. Liability of the Supplier**

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

## ***Section V. Special Conditions of Contract***

### **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## Special Conditions of Contract

GCC Clause			
1	Delivery of the Items/Services shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).		
2.2	<b>PAYMENT SCHEME</b>		
	#	Activities	Percentage of Contract Price
	1	Delivery of Equipment (HCI) and Operating Systems	15%
	2	Approval of the Pre installation work plan, infrastructure designs and system architectures for deployment	30%
	3	Installation and Configuration of HCIA	30%
	4	User Acceptance Test, Live testing and Simulation	
	5	Conduct of Training and Submission of Technical Documentation and other materials related to the project	15%
	6	Upon Project Completion and Acceptance of the End-User	10%
4	The inspections and tests that will be conducted shall be in accordance with Section VII. Technical Specifications.		

## ***Section VI. Schedule of Requirements***

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months										
	<p><b>Delivery of the Items/Services commence/start upon issuance of Notice To Proceed</b></p> <p><b>DELIVERY, INSTALLATION, CONFIGURATION, COMMISSIONING, MIGRATION, AND SUPPORT SERVICE FOR HYPER-CONVERGED INFRASTRUCTURE APPLIANCE</b></p>													
2	<p><b>Delivery of the Items/Services commence/start upon issuance of Notice To Proceed</b></p> <p><b>TIMELINE</b> <b><i>Hyper-Converge Infrastructure Appliance (HCIA)</i></b></p> <table><tr><td></td><td></td></tr><tr><td>One (1) day – End-user and Supplier</td><td>Installation and Configuration<ul style="list-style-type: none"><li>a. Hypervisor installation to bared metal server</li><li>b. Hosts Clustering</li><li>c. Configure VLAN</li><li>d. Initialize Storage</li><li>e. Version check, upgrade</li><li>f. Configure Virtual Network</li></ul></td></tr><tr><td>One (1) day – End-user and Supplier</td><td>Network Checking<ul style="list-style-type: none"><li>Check the storage network connection</li><li>Check the business network connection</li><li>check VLAN network connection (only if the function appears on UI)</li></ul></td></tr><tr><td>Two (2) days – End-user and Supplier</td><td>Configuration Check<ul style="list-style-type: none"><li>Check HA and DRS to see if they meet the Customer's requirement</li></ul></td></tr><tr><td>Two (2) days – End-user and Supplier</td><td>Files in need Uploading<ul style="list-style-type: none"><li>Uploading the Guest OS Installer to the HCI Platform</li></ul></td></tr></table>			One (1) day – End-user and Supplier	Installation and Configuration <ul style="list-style-type: none"><li>a. Hypervisor installation to bared metal server</li><li>b. Hosts Clustering</li><li>c. Configure VLAN</li><li>d. Initialize Storage</li><li>e. Version check, upgrade</li><li>f. Configure Virtual Network</li></ul>	One (1) day – End-user and Supplier	Network Checking <ul style="list-style-type: none"><li>Check the storage network connection</li><li>Check the business network connection</li><li>check VLAN network connection (only if the function appears on UI)</li></ul>	Two (2) days – End-user and Supplier	Configuration Check <ul style="list-style-type: none"><li>Check HA and DRS to see if they meet the Customer's requirement</li></ul>	Two (2) days – End-user and Supplier	Files in need Uploading <ul style="list-style-type: none"><li>Uploading the Guest OS Installer to the HCI Platform</li></ul>			
One (1) day – End-user and Supplier	Installation and Configuration <ul style="list-style-type: none"><li>a. Hypervisor installation to bared metal server</li><li>b. Hosts Clustering</li><li>c. Configure VLAN</li><li>d. Initialize Storage</li><li>e. Version check, upgrade</li><li>f. Configure Virtual Network</li></ul>													
One (1) day – End-user and Supplier	Network Checking <ul style="list-style-type: none"><li>Check the storage network connection</li><li>Check the business network connection</li><li>check VLAN network connection (only if the function appears on UI)</li></ul>													
Two (2) days – End-user and Supplier	Configuration Check <ul style="list-style-type: none"><li>Check HA and DRS to see if they meet the Customer's requirement</li></ul>													
Two (2) days – End-user and Supplier	Files in need Uploading <ul style="list-style-type: none"><li>Uploading the Guest OS Installer to the HCI Platform</li></ul>													

	<table><tr><td>Five (5) days – End-user and Supplier</td><td>VM Migrations Preparation Select out the mission-critical VMs, categorize them, and Settle Down the recommended specifications</td></tr><tr><td>One (1) day – End-user and Supplier</td><td>VM Network Design Settle down the network IP address distribution, How the VMs will be connected.</td></tr><tr><td>One (1) day – Supplier</td><td>Project Documentation</td></tr><tr><td>Two (2) days – End-user and Supplier</td><td>Comprehensive Training Classroom Type</td></tr><tr><td>One (1) day – End-user and Supplier</td><td>Project Acceptance and Sign off</td></tr></table>	Five (5) days – End-user and Supplier	VM Migrations Preparation Select out the mission-critical VMs, categorize them, and Settle Down the recommended specifications	One (1) day – End-user and Supplier	VM Network Design Settle down the network IP address distribution, How the VMs will be connected.	One (1) day – Supplier	Project Documentation	Two (2) days – End-user and Supplier	Comprehensive Training Classroom Type	One (1) day – End-user and Supplier	Project Acceptance and Sign off				
Five (5) days – End-user and Supplier	VM Migrations Preparation Select out the mission-critical VMs, categorize them, and Settle Down the recommended specifications														
One (1) day – End-user and Supplier	VM Network Design Settle down the network IP address distribution, How the VMs will be connected.														
One (1) day – Supplier	Project Documentation														
Two (2) days – End-user and Supplier	Comprehensive Training Classroom Type														
One (1) day – End-user and Supplier	Project Acceptance and Sign off														
3	<p><b>Delivery of the Items/Services commence/start upon issuance of Notice To Proceed</b></p> <p><b><i>Replication and Disaster recovery</i></b></p> <table><tr><td></td><td></td></tr><tr><td>0.5 day – End-user and Supplier</td><td><b>Phase 1 – Pre-Installation</b> 1. Pre-Implementation Meeting/Kick-Off discussion of Scope of Work document and the activities to be done on deployment.</td></tr><tr><td>One (1) day - Supplier</td><td><b>Phase 2 – Installation of Backup Server</b> 1. Installation of Veeam Backup &amp; Replication v10 software. 2. Installation of license. 3. Veeam Backup and replication services are running 4. Relevant connectivity of virtual infrastructure to VBR server</td></tr><tr><td>Three (3) days – Supplier</td><td><b>Phase 3 – Configuration of Replication Policy</b> 1. Configure Backup Job/s 2. Select VM to Backup 3. Specify backup destination 4. Specify Data transfer 5. Define job/s schedule 6. Run backup job</td></tr><tr><td>One (1) day – Supplier</td><td><b>Phase 4 – Replication Monitoring</b> 1. Perform replica failover and failback (optional) 2. Troubleshooting for encountered issue/s</td></tr><tr><td>0.5 day – End-user and Supplier</td><td><b>Phase 5 – Transfer of Information / Sign Off</b> 1. Veeam backup and replication v10 knowledge transfer</td></tr><tr><td>Service Entitlement</td><td>✓ Three-year consumable** 8x5 onsite support with NBD response time ✓ Three-year unlimited 8x5 phone support ✓ Three-year unlimited 8x5 email support</td></tr></table>			0.5 day – End-user and Supplier	<b>Phase 1 – Pre-Installation</b> 1. Pre-Implementation Meeting/Kick-Off discussion of Scope of Work document and the activities to be done on deployment.	One (1) day - Supplier	<b>Phase 2 – Installation of Backup Server</b> 1. Installation of Veeam Backup & Replication v10 software. 2. Installation of license. 3. Veeam Backup and replication services are running 4. Relevant connectivity of virtual infrastructure to VBR server	Three (3) days – Supplier	<b>Phase 3 – Configuration of Replication Policy</b> 1. Configure Backup Job/s 2. Select VM to Backup 3. Specify backup destination 4. Specify Data transfer 5. Define job/s schedule 6. Run backup job	One (1) day – Supplier	<b>Phase 4 – Replication Monitoring</b> 1. Perform replica failover and failback (optional) 2. Troubleshooting for encountered issue/s	0.5 day – End-user and Supplier	<b>Phase 5 – Transfer of Information / Sign Off</b> 1. Veeam backup and replication v10 knowledge transfer	Service Entitlement	✓ Three-year consumable** 8x5 onsite support with NBD response time ✓ Three-year unlimited 8x5 phone support ✓ Three-year unlimited 8x5 email support
0.5 day – End-user and Supplier	<b>Phase 1 – Pre-Installation</b> 1. Pre-Implementation Meeting/Kick-Off discussion of Scope of Work document and the activities to be done on deployment.														
One (1) day - Supplier	<b>Phase 2 – Installation of Backup Server</b> 1. Installation of Veeam Backup & Replication v10 software. 2. Installation of license. 3. Veeam Backup and replication services are running 4. Relevant connectivity of virtual infrastructure to VBR server														
Three (3) days – Supplier	<b>Phase 3 – Configuration of Replication Policy</b> 1. Configure Backup Job/s 2. Select VM to Backup 3. Specify backup destination 4. Specify Data transfer 5. Define job/s schedule 6. Run backup job														
One (1) day – Supplier	<b>Phase 4 – Replication Monitoring</b> 1. Perform replica failover and failback (optional) 2. Troubleshooting for encountered issue/s														
0.5 day – End-user and Supplier	<b>Phase 5 – Transfer of Information / Sign Off</b> 1. Veeam backup and replication v10 knowledge transfer														
Service Entitlement	✓ Three-year consumable** 8x5 onsite support with NBD response time ✓ Three-year unlimited 8x5 phone support ✓ Three-year unlimited 8x5 email support														

		Support	Software support for three (3) years
		Training	Provide product brief/orientation for not more than 4 hours. (This does not replace a formal training course for this product
4	Delivery of Equipments - 1-90 calendar days (within) from the issuance of Notice To Proceed		

## ***Section VII. Technical Specifications***

### **Notes for Preparing the Technical Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that



they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

**Sample Clause: Equivalency of Standards and Codes**

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words “*or at least equivalent.*” References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

# Technical Specifications

## DELIVERY, INSTALLATION, CONFIGURATION, COMMISSIONING, MIGRATION, AND SUPPORT SERVICE FOR HYPER-CONVERGED INFRASTRUCTURE APPLIANCE (TPB-ITB No. 2022-030)

[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of “Comply” or “Not Comply” must be supported by evidence in a Bidders Bid and cross-referenced to that evidence.

Evidence shall be in the form of manufacturer’s un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]

Item	Specification	Statement of Compliance
1	<b>Scope of Work:</b>  <b>1. Hyper-Converge Infrastructure Appliance (HCIA)</b>	
2	<b>A. Project Implementation</b> <ul style="list-style-type: none"> <li>○ The Supplier shall perform the supply, delivery, installation, configuration, fine-tuning, and testing of the System.</li> <li>○ The Supplier shall deliver the necessary software, hardware, materials, licenses, and other components not mentioned in the specification but are required to operate the System.</li> <li>○ The Supplier shall perform the necessary fine-tuning, upgrading, redesigning, or replacing appliances to ensure the System's optimum performance.</li> </ul>	
3	<b>B. Warranty and support</b> <ul style="list-style-type: none"> <li>○ three (3) years for the project's hardware and software components, including the quarterly preventive maintenance service and onsite supply of parts and labor.</li> </ul>	

	<ul style="list-style-type: none"> <li>Software license subscription and update, upgrade license included for three years, technical support 7*24*4 for three years.</li> <li>Repair and maintenance within warranty 7*24*4 for three years.</li> </ul>																
4	<p><b>C. Training</b></p> <p>Training should include the following:</p> <ul style="list-style-type: none"> <li>Administration</li> <li>Troubleshooting</li> <li>HCI architecture implementation</li> </ul>																
5	<p><b>D. EXCLUSIONS</b></p> <ul style="list-style-type: none"> <li>HCIA Solution Services exclude and are not intended to provide:</li> </ul> <p>Any tasks not listed above will be scoped as a billable engagement. Examples of tasks that are NOT included in the standard scope of work are (including but are not limited to):</p> <ul style="list-style-type: none"> <li>Additional configuration upon system turnover or project closure.</li> <li>Migrations from competitive platforms</li> <li>LDAP/TACACS/RADIUS authorization</li> <li>External Client Authentication configuration.</li> </ul>																
6	<p><b>A. RISK FACTORS</b></p> <table border="1"> <thead> <tr> <th>RISK</th><th>IMPACT</th><th>MITIGATION</th></tr> </thead> <tbody> <tr> <td>TCP/IP Conflict</td><td>10</td><td>IP Address assignments must be identified before actual installation.</td></tr> <tr> <td>Port speed and duplex mode mismatch</td><td>10</td><td>Re-configuration must be done by an authorized Network Administrator or IT counterpart</td></tr> <tr> <td>Defective cables may cause more extended downtime</td><td>10</td><td>Cables should be checked and tested before the actual activity</td></tr> <tr> <td>Unplanned downtime during the POC</td><td>10</td><td>Users and Administrators of affected segments must be informed before the actual cut-over.</td></tr> </tbody> </table>	RISK	IMPACT	MITIGATION	TCP/IP Conflict	10	IP Address assignments must be identified before actual installation.	Port speed and duplex mode mismatch	10	Re-configuration must be done by an authorized Network Administrator or IT counterpart	Defective cables may cause more extended downtime	10	Cables should be checked and tested before the actual activity	Unplanned downtime during the POC	10	Users and Administrators of affected segments must be informed before the actual cut-over.	
RISK	IMPACT	MITIGATION															
TCP/IP Conflict	10	IP Address assignments must be identified before actual installation.															
Port speed and duplex mode mismatch	10	Re-configuration must be done by an authorized Network Administrator or IT counterpart															
Defective cables may cause more extended downtime	10	Cables should be checked and tested before the actual activity															
Unplanned downtime during the POC	10	Users and Administrators of affected segments must be informed before the actual cut-over.															

7	<b>B. Replication and Disaster recovery</b>	
8	<b>A. Backup &amp; Replication</b> <ul style="list-style-type: none"> <li>○ The Solution should work with VMware infrastructure based on version 5.5, 6. x, and Microsoft Hyper V in a single product</li> <li>○ The Solution should support hosts managed by VMware vCenter Server and standalone ESX hosts.</li> <li>○ The Solution should support backup and replication of all operating systems that are supported by the hypervisor platform</li> <li>○ 2-in-1 backup and replication solution in a single product</li> <li>○ Agentless protection without the need to install individual agents inside each Guest VMs.</li> <li>○ Support for LAN-free(SAN mode) data backup, Hot add, and Network transport mode</li> <li>○ Able to integrate with primary VMware datastore to perform backup using storage snapshot</li> <li>○ able to recover the granular item from storage snapshot using explorer</li> <li>○ able to power on a Virtual machine using storage snapshot with backup software integration within less than 3 minutes</li> <li>○ The Solution should support the Disk-To-Disk-To-Tape D2D2T architecture</li> <li>○ The Solution must comply with less than 15 minutes of Recovery Point Objective (RPO) and Recovery Time Objective (RTO) with backup using storage snapshot integration</li> <li>○ Support for backup and replicating thin and thick provisioned VMs</li> <li>○ Provide a centralized web-based enterprise console to monitor and manage all the backup servers with a central console</li> <li>○ Included built-in encryption, compression, and deduplication in a single product without an additional option to purchase</li> <li>○ Ability to exclude specific virtual disk for backup and replication per VM selected in a backup job.</li> <li>○ Able to perform backup verification using storage snapshot with backup solution integration</li> <li>○ Ability to utilize forever forward incremental, forward incremental &amp; reverse incremental backup methodology.</li> <li>○ Ability to provide 83 Recovery scenario</li> <li>○ Ability to backup NAS using SMB v1, 2, or 3, NFS v3 or 4.1, Windows File Server, and Linux File Server</li> <li>○ NAS backup licensing based on instance - subscription basis</li> <li>○ NAS backup leverage on changed file tracking</li> </ul>	

	<ul style="list-style-type: none"> <li>○ Ability to provide application-consistent backups and replication (utilizing MS VSS or VMware Tools).</li> <li>○ Support a continuous job schedule to immediately start the backup job upon completion to provide near-Continuous Date Protection (CDP).</li> <li>○ Ability to perform complete VM &amp; VM Configuration File restoration</li> <li>○ Ability to perform Guest OS file-level recovery</li> <li>○ Ability to create an isolated environment for on-demand Sandbox with required VMs running for testing/troubleshooting.</li> <li>○ Ability to perform Instant recovery of VM by starting up VM in the production environment, directly from the native backup file without the need to perform restoration</li> <li>○ Ability to perform Instant Disk Recovery (VMware) to mount a particular virtual disk into production VM</li> <li>○ Ability to perform agentless granular recovery object and container for group policy object, AD-integrated DNS records, and Configuration partition records</li> <li>○ Ability to provide agentless table-level recovery of a single SQL Server database</li> <li>○ Ability to perform agentless transaction log backup and replay and database restore to original or new SQL Server</li> <li>○ Ability to span data across multiple tape libraries to improve performance and management</li> <li>○ Ability to backup to tape jobs using the same media pool, which can simultaneously process backup files from different backup jobs.</li> <li>○ Ability to reduce tape consumption while providing more extended retention policies with Grandfather-Father-Son (GFS) retention, including four media sets: weekly, monthly, quarterly, and yearly</li> <li>○ Uses the MTF (Microsoft Tape Format) industry format to write data to tape</li> <li>○ Ability to reduce backup size and replication bandwidth usage by excluding deleted file blocks, swaps, hibernation files, and user-specified files and folders.</li> <li>○ Ability to set the maximum acceptable I/O latency level for production datastores to ensure backup and replication activities do not impact storage availability to production workloads.</li> <li>○ Ability secure backup data and network transfers with end-to-end AES 256-bit encryption without any negative impact on built-in compression and WAN acceleration data reduction ratios</li> <li>○ The Solution must be able to replicate Virtual Machines on-prem datacenter for high-availability or off-site disaster recovery.</li> </ul>	
--	---	--

	<ul style="list-style-type: none"> <li>○ Ability to use failover plans that have been created in advance for built-in orchestration that enables easy 1-click site failover</li> <li>○ The Solution must be able to provide assisted failover and failback of the Virtual Machines. It must also offer an intelligent mechanism that includes automated Re-IP and network mapping of VMs on the DR site and a failback technology that transfers only changed blocks back to the production site.</li> <li>○ Ability to perform a planned and unplanned failover to the DR site.</li> <li>○ Ability to perform replication from backup files without impact on the production environment</li> <li>○ Ability to configure failover plan to add VMs from replicas, move them up or down to get a boot order, and set the delay for each VM so that VM doesn't start before a previous one start up</li> <li>○ Ability to configure network throttling in a single product for backup and replication</li> <li>○ Ability to encrypt network traffic based on source and destination network in a single product for backup and replication</li> <li>○ The Solution must provide automated tests and verification of each backup or replica to assure recoverability in case of production failure. The verification must include VM files, OS, and Applications, including custom testing using scripts <b>solutions</b> that should be able to create test environments by running one or more VMs directly from backup or replicas inside an isolated environment of testing, development, or training without the need to invest in additional computing or storage.</li> <li>○ Ability to automatically verify every restore point for backup and replication by starting VMs in an isolated Virtual Lab and performing tests such as ping test, heartbeat test, and application test, perform cleanup after verification and send a report to Customer.</li> <li>○ Central management to configure protection for virtualization, physical, and cloud workload. Able to deploy agents based on physical and cloud workload</li> <li>○ Supported Operating systems from Windows Server 2008 R2 SP1 till Windows Server 2019 for physical and cloud workloads using agent-based Solution</li> <li>○ Ability to tier backup data to object storage such as Azure blob storage, AWS S3 and S3 compatible using Copy or Move mode</li> <li>○ Ability to provide immutable features to prevent modification or deletion of data by leveraging S3 Object Lock features</li> </ul>	
--	---	--

	<ul style="list-style-type: none"> <li>○ Integrated plug-in for enterprise applications such as Oracle RMAN and SAP Hana</li> <li>○ Ability to increase security and reduce interruptions by scanning backup with a patent-pending antivirus software interface to prevent introducing viruses and malware into the production environment.</li> </ul>	
9	<p><b>B. Monitoring, Reporting, Capacity Planning &amp; Chargeback</b></p> <ul style="list-style-type: none"> <li>○ The solution should provide advanced monitoring, reporting, capacity planning &amp; chargeback for both the Virtual and backup infrastructure.</li> <li>○ The solution must be capable of providing 24X7 real-time performance monitoring by collecting data on an interval that includes all primary performance metrics, including compute (CPU and RAM), storage, and network.</li> <li>○ The solution must allow the view and analyze historical performance data to understand trends and facilitate troubleshooting.</li> <li>○ The solution must provide advanced capabilities to monitor the performance and status of backup and replication jobs, report on protected and unprotected VMs, and discover and monitor backup readiness and repository requirements.</li> <li>○ The solution must be able to analyze a VMs configuration and shows potential issues and possible limitations that can be met during the backup process (VMware Only).</li> <li>○ The solution must be able to send notifications of alarms via customizable email.</li> <li>○ The solution must ensure complete monitoring coverage by creating custom alarms for events unique to the virtual environment.</li> <li>○ The solution must be able to perform modeling of an alarm against past performance data to understand potential alarm frequency and avoid issues like inadvertent alert storms and missed events.</li> <li>○ The solution must allow to view and manage processes running on servers, hosts and VMs</li> <li>○ The solution must allow for customizing and saving report templates to create reports that fit specific information and formatting needs.</li> <li>○ The solution should be able to help manage the growth of virtual infrastructure with features like trend analysis, threshold forecasts, and provisioning recommendations.</li> <li>○ The solution must be able to create Visio diagrams that document the virtual infrastructure.</li> </ul>	

	<ul style="list-style-type: none"> <li>○ The solution must be able to discover VMs with under- and over-utilized CPU and memory resources and send recommendations on appropriate vCPU and vRAM allocations.</li> <li>○ The solution must be able to generate reports that track configuration changes in both the virtual and backup infrastructure, including the change location and the user authenticated to perform it.</li> <li>○ Ability to generate a report to show all protected and unprotected computers, including their last backup state for physical workload</li> <li>○ Built-in automation to include self-identify backup infrastructure issue</li> <li>○ Ability to save time and reduce manual intervention with automatic resolution of a common backup problem.</li> </ul>	
10	<p><b>C. Project Implementation</b></p> <ul style="list-style-type: none"> <li>○ Completed Configuration Worksheet</li> <li>○ The server must meet the recommended systems requirements</li> <li>○ The Operating System and the recommended system requirement must be installed already before the Veeam Backup &amp; Replication</li> <li>○ Remove any other vendor's backup software currently installed or configured</li> <li>○ Adequate disk space on the server and to the target host</li> <li>○ A person with the necessary Network Administrative rights must be present to assist in the deployment</li> <li>○ The end-user must perform a complete backup and Catalog Backup before upgrade deployment</li> <li>○ Must have 1 Backup Repository</li> <li>○ VMware ESXi or Hyper-V Licensed.</li> <li>○ The Target/Source Host Permissions must have Root permissions on the source ESX (i)/Hyper-V host.</li> </ul>	
11	<p><b>D. PROJECT SCOPE</b></p> <ul style="list-style-type: none"> <li>○ <b>Installation and configuration of Veeam Backup &amp; Replication Backup Server</b> <ul style="list-style-type: none"> <li>➤ Installation/upgrade/Renew to appropriate Backup Server</li> <li>➤ Installation of necessary service packs, security patches\updates, and software sub-system services on the supplied Backup Server to facilitate and secure files\folders and database backup file systems for Operating Systems, Database, etc</li> </ul> </li> </ul>	



	<ul style="list-style-type: none"><li>➤ Installation and configuration of clients and media devices</li><li>➤ Network configuration check</li><li>○ <b>Configuration of services for Operating Systems and Applications for clients</b><ul style="list-style-type: none"><li>➤ Checking of client service and database</li><li>➤ . Checking network accessibility</li><li>➤ Configuration check before backup</li><li>➤ Assign and give appropriate permission for the backup operator to facilitate secure access to the Backup Server</li></ul></li><li>○ <b>Test Backup and Restore</b><ul style="list-style-type: none"><li>➤ Configuration of sample backup and restore operation for testing purposes only</li></ul></li><li>○ <b>Transfer of Information</b><ul style="list-style-type: none"><li>➤ Provide product brief/orientation for not more than 4 hours. (This does not replace a formal training course for this product.</li></ul></li></ul>													
12	<p><b>C. Windows Svr Datacntr 2019 / Windows Server Device CAL / Windows Server User CAL</b></p> <ul style="list-style-type: none"><li>○ P71-09023 - Windows Svr Datacntr 2019 64Bit English 1pk DSP OEI DVD 16 Core</li><li>○ R18-05829 - Windows Server CAL 2019 English 1pk DSP OEI 5 Clt Device CAL</li><li>○ R18-05867 - Windows Server CAL 2019 English 1pk DSP OEI 5 Clt User CAL</li></ul>													
13	<p><b>TECHNICAL SPECIFICATIONS</b></p> <table><tr><td><b>A. Hyper-Converge Infrastructure Appliance (HCIA)</b></td><td></td></tr><tr><td>Node Size</td><td>Maximum of 2U per node</td></tr><tr><td>Number of Nodes</td><td>At least two (2) nodes</td></tr><tr><td>Processor</td><td>At least 2 x Intel Xeon Gold 6226R 2.9G per node, at least 16 cores per processor</td></tr><tr><td>Memory</td><td>At least 4 X 32GB RDIMM or similar type or equivalent per node</td></tr><tr><td>Storage</td><td>At least 6 X 6TB 7.2K RPM SATA HDD per node, at least 4 X 960 GB SSD SATA for caching per node</td></tr></table>	<b>A. Hyper-Converge Infrastructure Appliance (HCIA)</b>		Node Size	Maximum of 2U per node	Number of Nodes	At least two (2) nodes	Processor	At least 2 x Intel Xeon Gold 6226R 2.9G per node, at least 16 cores per processor	Memory	At least 4 X 32GB RDIMM or similar type or equivalent per node	Storage	At least 6 X 6TB 7.2K RPM SATA HDD per node, at least 4 X 960 GB SSD SATA for caching per node	
<b>A. Hyper-Converge Infrastructure Appliance (HCIA)</b>														
Node Size	Maximum of 2U per node													
Number of Nodes	At least two (2) nodes													
Processor	At least 2 x Intel Xeon Gold 6226R 2.9G per node, at least 16 cores per processor													
Memory	At least 4 X 32GB RDIMM or similar type or equivalent per node													
Storage	At least 6 X 6TB 7.2K RPM SATA HDD per node, at least 4 X 960 GB SSD SATA for caching per node													

	Network ports per Node	At least four (6) 1000Base-T and two (2) 10Gb SFP+ Multimode ports per node	
	Power supply	At least 2 X redundant power supply per node	
	Compute Virtualization	It should have High-Availability. In case the host fails, all the VMs running on that host can be recovered to another clustered host to ensure business continuity	
		Should have built-in backup and support agent-less incremental VM-level backup. For Windows VMs, file-level recovery must be supported	
		Support snapshot consistent group and scheduled snapshots	
		Able to evaluate performance of virtual machines and hot-add resources (vCPU and vRAM) when they are running out of CPU or memory, minimizing business downtime.	
		Must have module activated continuous data protection (CDP), recording VMs IO at an interval as minimum as 1 second. Data can be restored at any point time in the past three (3) days.	
		AI-Enhanced database performance optimization with a built-in self-adaptive performance optimization engine	
		Support host health monitoring. When a host is deemed unhealthy, it will be put on an unhealthy host list; VM placement and HA failover will avoid using the unhealthy host as a destination. When the host is back to normal, it can be taken out of the unhealthy host list automatically	
		Must support module Activated CDP (Continues Data Protection) capable of recording VMs' IOs at an interval as minimum as 1 second. Data can be restored at any point time in the past three (3) days	
	Storage Virtualization	Storage is in distributed architecture where more than one storage node is composed of a Storage Area Network (SAN) that can be scaled out (by increasing	

		nodes) to expand storage capacity and performance	
		Support access via iSCSI to enable other hosts in the cluster to use iSCSI to access the virtual storage, and making Server SAN and IP SAN work together and maximize storage utilization	
		A full copy of the VM's data should have existed on the node where the VM is running to facilitate faster read and write	
		The virtual storage must use SSD as cache tier and spinning disk as data tier to ensure performance and cost balance. Data is written to SSD first and read from SSD in priority to improve performance	
		Data that is frequently accessed (also called hot data) can use SSD as a persistent storage media; when VM is migrated or the host is rebooted, the hot data must still reside in the SSD for fast retrieval	
		Support 3 data copies with 3 hosts to tolerate a failure of any 2 disks or 1 host	
		Support disk bad sector prediction, scanning, and repair to maximize data security	
		Support storage capacity prediction based on historical usage statistics and consumption behavior	
		Support disk remaining lifecycle prediction	
	Network Virtualization	Natively Support deploying virtual routers, virtual switches, and firewalls.	
		Built-in distributed firewall to apply granular access control policy between VMs, securing east-west traffic (also known as Micro-segmentation)	
		The virtual router supports high availability. A failed virtual router can be automatically recovered upon host failure to ensure high availability of routing service	

	<table><tr><td></td><td>Visualized Network topology can be completed simply by dragging objects and drawing connections via a visualized web-based management panel</td></tr><tr><td>Security</td><td>Hypervisor-embedded Web Protection Daemon</td></tr><tr><td></td><td>Distributed Firewall</td></tr></table>		Visualized Network topology can be completed simply by dragging objects and drawing connections via a visualized web-based management panel	Security	Hypervisor-embedded Web Protection Daemon		Distributed Firewall																			
	Visualized Network topology can be completed simply by dragging objects and drawing connections via a visualized web-based management panel																									
Security	Hypervisor-embedded Web Protection Daemon																									
	Distributed Firewall																									
14	<table><tr><td><b>B. Replication and Disaster recovery</b></td><td></td></tr><tr><td>Backup &amp; Replication Requirements</td><td>The solution should work with VMware infrastructure based on version 5.5, 6.x, and Microsoft Hyper V in a single product</td></tr><tr><td></td><td>The solution should support hosts managed by VMware vCenter Server and standalone ESX hosts.</td></tr><tr><td></td><td>The solution should support backup and replication of all operating systems that are supported by the hypervisor platform</td></tr><tr><td></td><td>2-in-1 backup and replication solution in a single product.</td></tr><tr><td></td><td>Agentless protection without the need to install individual agents inside each Guest VMs.</td></tr><tr><td></td><td>Support for LAN-free (SAN mode) data backup, Hot add, and Network transport mode</td></tr><tr><td></td><td>Able to integrate with primary VMware datastore to perform backup using storage snapshot</td></tr><tr><td></td><td>Able to recover a granular item from storage snapshot using explorer</td></tr><tr><td></td><td>Able to power on Virtual machine using storage snapshot with backup software integration within less than 3 minutes</td></tr><tr><td></td><td>The solution should support the Disk-To-Disk-To-Tape D2D2T architecture</td></tr><tr><td></td><td>The Solution must comply with less than 15 minutes of Recovery Point Objective (RPO) and Recovery Time Objective</td></tr></table>	<b>B. Replication and Disaster recovery</b>		Backup & Replication Requirements	The solution should work with VMware infrastructure based on version 5.5, 6.x, and Microsoft Hyper V in a single product		The solution should support hosts managed by VMware vCenter Server and standalone ESX hosts.		The solution should support backup and replication of all operating systems that are supported by the hypervisor platform		2-in-1 backup and replication solution in a single product.		Agentless protection without the need to install individual agents inside each Guest VMs.		Support for LAN-free (SAN mode) data backup, Hot add, and Network transport mode		Able to integrate with primary VMware datastore to perform backup using storage snapshot		Able to recover a granular item from storage snapshot using explorer		Able to power on Virtual machine using storage snapshot with backup software integration within less than 3 minutes		The solution should support the Disk-To-Disk-To-Tape D2D2T architecture		The Solution must comply with less than 15 minutes of Recovery Point Objective (RPO) and Recovery Time Objective	
<b>B. Replication and Disaster recovery</b>																										
Backup & Replication Requirements	The solution should work with VMware infrastructure based on version 5.5, 6.x, and Microsoft Hyper V in a single product																									
	The solution should support hosts managed by VMware vCenter Server and standalone ESX hosts.																									
	The solution should support backup and replication of all operating systems that are supported by the hypervisor platform																									
	2-in-1 backup and replication solution in a single product.																									
	Agentless protection without the need to install individual agents inside each Guest VMs.																									
	Support for LAN-free (SAN mode) data backup, Hot add, and Network transport mode																									
	Able to integrate with primary VMware datastore to perform backup using storage snapshot																									
	Able to recover a granular item from storage snapshot using explorer																									
	Able to power on Virtual machine using storage snapshot with backup software integration within less than 3 minutes																									
	The solution should support the Disk-To-Disk-To-Tape D2D2T architecture																									
	The Solution must comply with less than 15 minutes of Recovery Point Objective (RPO) and Recovery Time Objective																									

		(RTO) with backup using storage snapshot integration	
		Support for backup and replicate thin and thick provisioned VMs	
		Provide a centralized web-based enterprise console to monitor and manage all the backup servers with a central console	
		Included built-in encryption, compression, and deduplication in a single product without an additional option to purchase	
		Ability to exclude specific virtual disk for backup and replication per VM selected in a backup job.	
		Able to perform backup verification using storage snapshot with backup solution integration	
		Ability to utilize forever forward incremental, forward incremental & reverse incremental backup methodology.	
		Ability to provide 83 Recovery scenario	
		Ability to backup NAS using SMB v1, 2, or 3, NFS v3 or 4.1, Windows File Server, and Linux File Server	
		NAS backup licensing based on instance -subscription basis	
		NAS backup leverage on changed file tracking	
		Ability to provide application-consistent backup and replication (utilizing MS VSS or VMware Tools).	
		Support a continuous job schedule to immediately start the backup job upon completion to provide near-Continuous Date Protection (CDP).	
		Ability to perform full VM & VM Configuration File restoration	
		Ability to perform Guest OS file-level recovery.	
		Ability to create an isolated environment for on-demand Sandbox with required VMs running for testing/troubleshooting. In addition, this isolated	
		Ability to perform Instant recovery of VM by starting up	

		VM in the production environment, directly from the native backup file without the need to perform a restoration.	
		Ability to perform Instant Disk Recovery (VMware) to mount a particular virtual disk into production VM	
		Ability to perform agentless granular recovery object and container for group policy object, AD-integrated DNS records, and Configuration partition records	
		Ability to provide agentless table-level recovery of a single SQL Server database	
		Ability to perform agentless transaction log backup and replay and database restore to original or new SQL Server	
		Ability to span data across multiple tape libraries to improve performance and management	
		Ability to backup to tape jobs using the same media pool, which can simultaneously process backup files from different backup jobs.	
		Ability to reduce tape consumption while providing more extended retention policies with Grandfather-Father-Son (GFS) retention, including four media sets: weekly, monthly, quarterly, and yearly.	
		Uses the MTF (Microsoft Tape Format) industry format to write data to tape	
		Ability to reduce backup size and replication bandwidth usage by excluding deleted file blocks, swap, hibernation files, and user-specified files and folders.	
		Ability to set the maximum acceptable I/O latency level for production datastores to ensure backup and replication activities do not impact storage availability to production workloads.	
		Ability secure backup data and network transfers with end-to-end AES 256-bit encryption without any negative impact on	

		built-in compression and WAN acceleration data reduction ratios	
		The solution must be able to replicate Virtual Machines on-prem datacenter for high-availability or off-site for disaster recovery.	
		Ability to use failover plans that have been created in advance for built-in orchestration that enables easy 1-click site failover	
		The solution must be able to provide assisted failover and failback of the Virtual Machines. It must also provide an intelligent mechanism that includes automated Re-IP and network mapping of VMs on the DR site and a failback technology that transfers only changed blocks back to a production site.	
		Ability to perform a planned and unplanned failover to the DR site.	
		Ability to perform replication from backup files without impact on the production environment	
		Ability to configure failover plan to add VMs from replicas, move them up or down to get a boot order, and set a delay for each VM so that VM doesn't start before a previous one start up	
		Ability to configure network throttling in a single product for backup and replication	
		Ability to encrypt network traffic based on source and destination network in a single product for backup and replication	
		The solution must provide automated tests and verification of each backup or replica to assure recoverability in case of production failure. The verification must include VM files, OS, and Applications, including custom testing using scripts	
		The solution should be able to create test environments by running one or more VMs directly from backup or replicas inside an isolated environment	

		for the use of testing, development, or training without the need to invest in additional computing or storage.	
		Ability to automatically verify every restore point for backup and replication by starting VMs in an isolated Virtual Lab and performing tests such as ping test, heartbeat test, and application test, perform cleanup after verification and send a report to Customer.	
		Central management to configure protection for virtualization, physical, and cloud workload. Able to deploy agents based on physical and cloud workload	
		Supported Operating System from Windows Server 2008 R2 SP1 till Windows Server 2019 for physical and cloud workload using agent-based Solution	
		Ability to tier backup data to object storage such as Azure blob storage, AWS S3, and S3 compatible using Copy or Move mode.	
		Ability to provide immutable features to prevent modification or deletion of data by leveraging S3 Object Lock features	
		Integrated plug-in for enterprise applications such as Oracle RMAN and SAP Hana	
		Ability to increase security and reduce interruptions by scanning backup with a patent-pending antivirus software interface to prevent introducing viruses and malware into the production environment	
	<b>Monitoring, Reporting, Capacity Planning &amp; Chargeback</b>	The solution should provide advanced monitoring, reporting, capacity planning & chargeback for both the Virtual and backup infrastructure.	
		The solution must be capable of providing 24X7 real-time performance monitoring by collecting data on an interval that includes all major performance metrics, including compute (CPU and RAM), storage, and network	



		The solution must allow the view and analyze historical performance data to understand trends and facilitate troubleshooting.	
		The solution must provide advanced capabilities to monitor the performance and status of backup and replication jobs, report on protected and unprotected VMs, discover and monitor backup readiness and repository requirements.	
		The solution must be able to analyze a VMs configuration and shows potential issues and possible limitations that can be met during the backup process (VMware Only).	
		The solution must be able to send notifications of alarms via customizable email.	
		The solution must ensure complete monitoring coverage by creating custom alarms for events unique to the virtual environment.	
		The solution must be able to perform modeling of an alarm against past performance data to understand potential alarm frequency and avoid issues like inadvertent alert storms and missed events.	
		The solution must allow viewing and managing processes running on servers, hosts, and VMs.	
		The solution must allow for customizing and saving report templates to create reports that fit specific information and formatting needs	
		The solution should help manage the growth of virtual infrastructure with features like trend analysis, threshold forecasts, and provisioning recommendations.	
		The solution must be able to create Visio diagrams that document the virtual infrastructure	
		The solution must be able to discover VMs with under- and over-utilized CPU and memory resources and send recommendations on	

		appropriate vCPU and vRAM allocations.														
		The solution must be able to generate reports that track configuration changes in both the virtual and backup infrastructure, including the change location and the user, authenticated to perform it														
		Ability to generate a report to show all protected and unprotected computers, including their last backup state for physical workload														
		Built-in automation to include self-identify backup infrastructure issue														
15	<table><tr><td>C. Windows Svr Datacntr 2019 / Windows Server Device CAL / Windows Server User CAL</td><td></td><td></td></tr><tr><td></td><td>P71-09023 - Windows Svr Datacntr 2019 64Bit English 1pk DSP OEI DVD 16 Core</td><td></td></tr><tr><td></td><td>R18-05829 - Windows Server CAL 2019 English 1pk DSP OEI 5 Clt Device CAL</td><td></td></tr><tr><td></td><td>R18-05867 - Windows Server CAL 2019 English 1pk DSP OEI 5 Clt User CAL</td><td></td></tr></table>			C. Windows Svr Datacntr 2019 / Windows Server Device CAL / Windows Server User CAL				P71-09023 - Windows Svr Datacntr 2019 64Bit English 1pk DSP OEI DVD 16 Core			R18-05829 - Windows Server CAL 2019 English 1pk DSP OEI 5 Clt Device CAL			R18-05867 - Windows Server CAL 2019 English 1pk DSP OEI 5 Clt User CAL		
C. Windows Svr Datacntr 2019 / Windows Server Device CAL / Windows Server User CAL																
	P71-09023 - Windows Svr Datacntr 2019 64Bit English 1pk DSP OEI DVD 16 Core															
	R18-05829 - Windows Server CAL 2019 English 1pk DSP OEI 5 Clt Device CAL															
	R18-05867 - Windows Server CAL 2019 English 1pk DSP OEI 5 Clt User CAL															
16	<b>QUALIFICATION REQUIREMENTS</b> <ul style="list-style-type: none"><li>The Supplier must be an Information and Communications Technology (ICT) company, experienced in System Integration dealing with different government offices and private companies for at least <b>five (5) years</b>.</li><li>The Supplier must submit <b><u>Certification from the Manufacturer</u></b> showing that the Supplier is an Authorized or Official Partner for the following items;<ol style="list-style-type: none"><li>HCIA</li><li>Backup and Replication of the Solution offered</li></ol></li><li>The Supplier must provide <b><u>Technical Certificate from Manufacturer</u></b> for the following items;</li></ul>															

	<p>1. <i>at-least one engineer for backup and replication solution of the Solution offered</i></p> <p>2. <i>at-least two certified engineers for HCIA of the Solution offered</i></p> <p><b><i>*Must submit Curriculum Vitae of the required personnel</i></b></p> <ul style="list-style-type: none"> <li>The Supplier must provide a <b><u>printed product brochure from the Manufacturer</u></b> for the following items of the Solution offered; <ul style="list-style-type: none"> <li>1. HCIA</li> <li>2. Backup and replication solution</li> <li>3. Microsoft</li> </ul> </li> <li>To ensure ease of communication and support for Hyper-converged solutions, the Manufacturer of the HCI should have at least two certified local <b><u>(Filipino)</u></b> engineers.</li> <li>The Supplier must provide proof that the proposed brand must be present on Gartner Quadrant for the last three years for the following items; <ul style="list-style-type: none"> <li>1. HCIA</li> <li>2. Backup and replication solution.</li> </ul> </li> <li>The Suppliers must provide a certificate that the Manufacturer must be CMMI L5 certified for the following item; <ul style="list-style-type: none"> <li>1. HCIA</li> </ul> </li> <li>The Suppliers must have a PCAB License in a specialty in Communication Facilities or above.</li> <li>The Suppliers must provide at least three (3) Levels of support locally</li> <li>The Suppliers must provide at least an additional list of Manpower support technical engineers.</li> </ul>	
17	<p><b>DUTIES AND RESPONSIBILITIES OF TPB</b></p> <ul style="list-style-type: none"> <li>Assist prospective Suppliers during the conduct of the site survey.</li> <li>Review and approve the work plan submitted by the Supplier <b>within five (5) working days</b>.</li> <li>Grant the Supplier's authorized representative access to its premises and facilities to perform its obligations, provided that the duly assigned TPB personnel shall accompany such representative.</li> </ul>	

	<ul style="list-style-type: none"> <li>Reject any unit or part thereof that fails to pass any test and/or inspection or does not conform to specification.</li> </ul>	
18	<ul style="list-style-type: none"> <li><b>Replication and Disaster recovery</b></li> </ul> <p><b>PRE-REQUISITE</b> Completed Configuration Worksheet Server must meet the recommended systems requirements.</p> <ul style="list-style-type: none"> <li>➤ End-User will ensure that Operating System and the recommended system requirement are installed before the Veeam Backup &amp; Replication.</li> <li>➤ SI will ensure that no other vendor's backup software is installed or configured, with Adequate disk space on the server and the target host.</li> <li>➤ End-User will ensure that Network Administrative rights must be present to assist the deployment.</li> <li>➤ SI will ensure that the end-user must perform complete backup and Catalog Backup before upgrade deployment.</li> <li>➤ One (1) Backup Repository VMware ESXi or Hyper-V Licensed Target/Source Host Permissions must have Root permissions on the source ESX (i)/Hyper-V host.</li> </ul> <p><b>END-USER RESPONSIBILITIES</b> – The Service Integrator's performance is predicated upon the following responsibilities being fulfilled by the End-user.</p> <ul style="list-style-type: none"> <li>➤ End-user shall provide to the designated Implementation Leader for this Service to whom all SI communications can be addressed who will coordinate all End-user resources for technical work sessions and checkpoint meetings which will serve as the interface between SI and all End-user departments and any third-party vendors/subcontractors participating in this Service on any technical decisions, information gathering, service level agreements, broadcasting and change control who has the authority to act for the End-user.</li> <li>➤ Such required facility arrangements must be in place for the duration of this implementation. Ensure any pre-requisite hardware, operating system, and related software are installed and operational at the required version and maintenance levels, except for those prerequisites that have been stated to be provided/established by SI.</li> </ul>	
19	<ul style="list-style-type: none"> <li><b>Resources required</b></li> </ul>	

	<ul style="list-style-type: none"><li>○ <b>Hyper-Converge Infrastructure Appliance (HCIA)</b><ul style="list-style-type: none"><li>▪ At least one (1) test PC Monitor, Keyboard, and mouse.</li><li>▪ Cat-5e cables (at least three (3) cross-overs and four (4) straight-through wires) to connect to the network infrastructure</li><li>▪ User Accounts for the installation</li><li>▪ Completed CONFIGURATION CHECKLIST</li><li>▪ Internet connection to access the HCI website if applicable</li><li>▪ USB Key /License Certificate file</li><li>▪ HCI Implementer or Technical Deployment Lead</li><li>▪ Support teams like Network Administrator, Security Administrator, Systems Administrator, and Helpdesk Support.</li></ul></li></ul>					
20	<ul style="list-style-type: none"><li>○ <b>Replication and Disaster recovery</b><ul style="list-style-type: none"><li>▪ Operating System Recommended: (minimum) Windows Server 2016 Internet Browser  Internet Explorer 7.0 or later  Processor Intel Pentium, Xeon, AMD, or compatible x86-x64 processor  SQL Server or SQL</li><li>▪ Express Included: Microsoft SQL 2012 (SP3 Express Edition) Network Interface Card 1 Gbps or faster for onsite backup for quicker replication,  1Mbps or faster for off-site backup and replication.</li><li>▪ Memory Recommended: 16 GB RAM DDR3/DDR4 (or more for better performance).</li></ul></li></ul> <p><b>TIMELINE</b></p> <p><b><i>Hyper-Converge Infrastructure Appliance (HCIA</i></b></p> <table><tr><td></td><td></td></tr><tr><td></td><td>Installation and Configuration<ul style="list-style-type: none"><li>a. Hypervisor installation to bared metal server</li></ul></td></tr></table>				Installation and Configuration <ul style="list-style-type: none"><li>a. Hypervisor installation to bared metal server</li></ul>	
	Installation and Configuration <ul style="list-style-type: none"><li>a. Hypervisor installation to bared metal server</li></ul>					

	One (1) day – End-user and Supplier	<ul style="list-style-type: none"><li>b. Hosts Clustering</li><li>c. Configure VLAN</li><li>d. Initialize Storage</li><li>e. Version check, upgrade</li><li>f. Configure Virtual Network</li></ul>	
	One (1) day – End-user and Supplier	Network Checking Check the storage network connection Check the business network connection check VLAN network connection (only if the function appears on UI)	
	Two (2) days – End-user and Supplier	Configuration Check Check HA and DRS to see if they meet the Customer's requirement	
	Two (2) days – End-user and Supplier	Files in need Uploading Uploading the Guest OS Installer to the HCI Platform	
	Five (5) days – End-user and Supplier	VM Migrations Preparation Select out the mission-critical VMs, categorize them, and Settle Down the recommended specifications	
	One (1) day – End-user and Supplier	VM Network Design Settle down the network IP address distribution, How the VMs will be connected.	
	One (1) day –Supplier	Project Documentation	
	Two (2) days – End-user and Supplier	Comprehensive Training Classroom Type	
	One (1) day – End-user and Supplier	Project Acceptance and Sign off	
<b><i>Replication and Disaster recovery</i></b>			
0.5 day – End-user and Supplier		<b>Phase 1 – Pre-Installation</b> 1. Pre-Implementation Meeting/Kick-Off discussion of Scope of Work document and the activities to be done on deployment.	
One (1) day - Supplier		<b>Phase 2 – Installation and Configuration</b> 1. Installation of Veeam Backup & Replication v10 software.	

			2. Installation of license. 3. Veeam Backup and replication services are running 4. Relevant connectivity of virtual infrastructure to VBR server	
	Three (3) days – Supplier		<b>Phase 3 – Configuration of Replication Policy</b> 7. Configure Backup Job/s 8. Select VM to Backup 9. Specify backup destination 10. Specify Data transfer 11. Define job/s schedule 12. Run backup job	
	One (1) day – Supplier		<b>Phase 4 – Replication Monitoring</b> 3. Perform replica failover and failback (optional) 4. Troubleshooting for encountered issue/s	
	0.5 day – End-user and Supplier		<b>Phase 5 – Transfer of Information / Sign Off</b> 2. Veeam backup and replication v10 knowledge transfer	
	Service Entitlement		✓ Three-year consumable** 8x5 onsite support with NBD response time ✓ Three-year unlimited 8x5 phone support ✓ Three-year unlimited 8x5 email support	
	Support		Software support for three (3) years	
	Training		Provide product brief/orientation for not more than 4 hours. (This does not replace a formal training course for this product)	
21	<b>OTHER CONDITIONS</b>  a. <b>PROJECT TERMS AND CONDITIONS</b>  <ul style="list-style-type: none"> <li>▪ The Supplier shall perform the abovementioned tasks and deliverables as defined in the Scope of Work (SOW) document. Estimated Man Days provided are provided for guidance and scheduling purposes. They are not guaranteed to be exact, as these are subject to changes in the availability of required resources, setup deviations from as initially indicated, force majeure, and other items marked in the Risk Factors section of the Scope of Work.</li> <li>▪ CUSTOMER assumes the responsibility for maintenance and configuration seven</li> </ul>			

	<p>(7) days after signing the Certificate of Project Completion</p> <p><b>b. CHANGES</b></p> <ul style="list-style-type: none"> <li>▪ Any change beyond the scope stated in the Scope of Work shall be considered a change request. The impact of changes shall be discussed and deliberated upon by the Project Manager and may be subject to additional charges.</li> </ul> <p><b>c. CONFIDENTIALITY</b></p> <ul style="list-style-type: none"> <li>▪ Supplier warrants and agrees to ensure that confidential information obtained with this project shall be kept in the strictest confidence. The term "Confidential Information" shall not include information authorized by the CUSTOMER to be publicly disclosed. Supplier shall see that this confidentiality requirement shall be observed by all Supplier personnel assigned to the CUSTOMER.</li> </ul> <p><b>d. LIMITATIONS AND LIABILITIES.</b></p> <ul style="list-style-type: none"> <li>▪ To the extent allowed by law, Vendor liability under, or in respect of, this Agreement is limited to: <ul style="list-style-type: none"> <li>○ The total cost of this implementation package. The hardware equipment, licenses, and data costs are not included.</li> <li>○ To the extent allowed by law, in no event will the vendor or its affiliates, authorized representatives, or suppliers shall be liable for any of the following: <ol style="list-style-type: none"> <li>1. Actual losses or direct damages that are not contemplated in the paragraph above; or</li> <li>2. Damages for loss of data, or costs of software restoration; or</li> <li>3. Damages relating to the Customer's procurement of substitute products or services (i.e., "cost of cover"); or Incidental, special or consequential damages (including downtime costs or lost profits).</li> </ol> </li> </ul> </li> </ul>			
22	<b>PAYMENT SCHEME</b>			
	#	Activities	Percentage of	



			Contract Price	
	1	Delivery of Equipment (HCI) and Operating Systems	15%	
	2	Approval of the Pre installation work plan, infrastructure designs and system architectures for deployment	30%	
	3	Installation and Configuration of HCIA	30%	
	4	User Acceptance Test, Live testing and Simulation		
	5	Conduct of Training and Submission of Technical Documentation and other materials related to the project	15%	
	6	Upon Project Completion and Acceptance of the End-User	10%	
23	<b>APPROVED BUDGET FOR THE CONTRACT (ABC)</b>			
	The approved Budget for the Contract (ABC) is <b>EIGHT MILLION SIX HUNDRED THOUSAND PESOS (PHP 8,600,000.00)</b> inclusive of all applicable fees and taxes.			
24	Delivery of Equipments - 1-90 calendar days (within) from issuance of Notice To Proceed			
25	<b>Section 62. Warranty (RA 9184)</b>  62.1 For the procurement of Goods, in order to assure that manufacturing defects shall be corrected by the supplier, <b>a warranty security</b> shall be required from the contract awardee for a minimum period of three (3) months, in the case of Expendable Supplies, or a minimum period of one (1) year, in the case of Non-expendable Supplies, after acceptance by the Procuring Entity of the delivered supplies.  The obligation for the warranty shall be covered by either retention money in an amount equivalent to at least one percent (1%) but not to exceed five percent (5%) of every progress payment, or a special bank guarantee equivalent to at least one percent (1%) but not to exceed five percent (5%) of the total contract price. The said amounts shall only be released after the lapse of the warranty period or, in the case of Expendable Supplies, after consumption thereof: Provided, however, That the supplies delivered are free from patent and latent defects and			

	all the conditions imposed under the contract have been fully met.	
26	<p>For Submission of Notarized Revised Omnibus Sworn Statement (OSS) and Notarized Secretary's Certificate (for Corporate Company, Securities and Exchange Commission) or Special Power of Attorney (for Sole Proprietor, Department of Trade and Industry)</p> <p><b>The Authorized and Designated Representative in the OSS is the same person/name indicated/stated in the Secretary's Certificate or Special Power of Attorney to enter into, transact, deal and bid with TPB PHL regarding the Services of a Delivery, Installation, Configuration, Commissioning, Migration, and Support Service for Hyper-Converged Infrastructure Appliance (ITB No. 2022-030)</b></p>	
27	Manners of Submission: The manners of envelope submission is illustrated in Section III Bid Data Sheet under items no. 15 and 15.1 page 22	
28	Each and every page of the Bid Proposal, including the Bid Form and Schedule of Prices, shall be signed by the duly authorized representative/s of the Bidder.	
29	<p>Bid Bulletin / Bid Supplement:</p> <p>Any Bid Bulletin or Bid Supplement issued by the TPB, the bidders must include the said bid bulletin / bid supplement to his/her bid proposal submission with signed conforme or comply. (under the legal and technical envelope)</p>	
30	<p>1) Attach the <b>Certificate of Satisfactory Completion</b> for Single Largest Completed Contract within the last <b>five (5) years</b> from the date of submission and receipt of bids.</p> <p>2) For the statement of all ongoing government and private contract attached any of the following: signed Notice of Award, Notice to Proceed, Contract/Purchase Order.</p> <p>3) Failure to submit the certificate of completion of the project or any proof thereof, including the supporting documents shall be a ground for disqualification of eligibility</p>	

	4) Submission of PhilGEPS Platinum Certification and Membership shall be observed in accordance with “GPPB Resolution No. 15-2021: Lifting the Suspension of the Mandatory Submission of PhilGEPS Platinum Certification and Membership in Competitive Bidding and Limited Source Bidding”	
31	The Tourism Promotions Board is evaluating the suppliers’ performance based on these criteria: Quality (40%), Cost (25%), Timeliness (25%), and Customer Service (10%)	
32	<b>CONTRACT DURATION</b> The effectivity of the Contract shall commence upon receipt by the bidder of the Notice To Proceed which will not be later than five (5) calendar days upon each issuance until the completion of the deliverable / services.	

I hereby certify to comply and deliver all of the above requirements.

\_\_\_\_\_  
Name of Company

\_\_\_\_\_  
Signature over Printed Name  
of the authorized representative

\_\_\_\_\_  
Date

## ***Section VIII. Checklist of Technical and Financial Documents***

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# Checklist of Technical and Financial Documents

## I. TECHNICAL COMPONENT ENVELOPE

### *Class “A” Documents*

#### Legal Documents

- ☐ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages);  
**or**
- ☐ (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,  
**and**
- ☐ (c) Mayor’s or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;  
**and**
- ☐ (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

#### Technical Documents

- ☐ (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- ☐ (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- ☐ (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;  
**or**  
Original copy of Notarized Bid Securing Declaration; **and**
- ☐ (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- ☐ (j) Original duly signed Omnibus Sworn Statement (OSS);  
**and** if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of

Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- ☐ (k) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission; **and**
- ☐ (l) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);  
**or**  
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

***Class "B" Documents***

- ☐ (m) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;  
**or**  
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- ☐ (n) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- ☐ (o) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

**25 FINANCIAL COMPONENT ENVELOPE**

- ☐ (a) Original of duly signed and accomplished Financial Bid Form; **and**
- ☐ (b) Original of duly signed and accomplished Price Schedule(s).

**Name of the Procuring Entity : Tourism Promotions Board**

**Project : Delivery, Installation, Configuration, Commissioning, Migration, and Support Service for Hyper-Converged Infrastructure Appliance (TPB-ITB No. 2022-C**

**Location of the Project :**

**Single Largest Completed Contract (SLCC) similar to the Contract to be**

**bid within five (5) years, contract should be atleast be fifty percent (50%) of the ABC**

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract	a. Owner's Name b. Owner's Name Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Amount of Award b. Amount at Completion c. Duration	a. Date Awarded b. Contract Effectivity c. Date Completed
			Description	%		
Government						
Private						

Note: This Statement shall be supported with

1. Contract
2. Notice to Proceed
3. Certificate of Satisfactory Completion

Submitted by:

*Name of Representative of Bidder:* \_\_\_\_\_

*Position* : \_\_\_\_\_

*Date* : \_\_\_\_\_





**Name of the Procuring Entity : Tourism Promotions Board Philippines**

Project : Delivery, Installation, Configuration, Commissioning, Migration, and Support Service for Hyper-Converged Infrastructure Appliance  
(TPB-ITB No. 2022-030)

Location of the Project : Metro Manila (TPB Office)

**List of all Ongoing Government & Private Contracts within five (5) years including contracts awarded but not yet started, if any, weather similar or not similar in nature and complexity to the contract to be bid**

Business Name : \_\_\_\_\_

Business Address : \_\_\_\_\_

Name of Contract/ Project Cost	a. Owner's Name b. Address c. Telephone Nos.	Nature of Work	Bidder's Role		a. Date Awarded b. Date Started c. Date of Completion	% of Accomplishment		Value of Outstanding Works / Undelivered Portion
			Description	%		Planned	Actual	
<b><u>Government</u></b>								
<b><u>Private</u></b>								
Total Cost								

Note: This statement shall be supported with:

1. Notice of Award and/or Contract / Purchase Order
2. Notice to Proceed

Submitted by : \_\_\_\_\_

(Printed Name & Signature)

Designation : \_\_\_\_\_

Date : \_\_\_\_\_

## FORMAT OF CURRICULUM VITAE (CV) FOR PROPOSED PROFESSIONAL STAFF

---

Proposed Position: \_\_\_\_\_

Name of Firm: \_\_\_\_\_

Name of Staff: \_\_\_\_\_

Profession: \_\_\_\_\_

Date of Birth: \_\_\_\_\_

Years with Firm/Entity: \_\_\_\_\_ Nationality: \_\_\_\_\_

Membership in Professional Societies: \_\_\_\_\_

\_\_\_\_\_

Detailed Tasks Assigned: \_\_\_\_\_

### Key Qualifications:

*[Give an outline of staff member's experience and training most pertinent to tasks on project. Describe degree of responsibility held by staff member on relevant previous projects and give dates and locations. Use about half a page.]*

### Education:

*[Summarize college/university and other specialized education of staff members, giving names of schools, dates attended, and degrees obtained. Use about one quarter of a page.]*

### Employment Record:

*[Starting with present position, list in reverse order every employment held. List all positions held by staff member since graduation, giving dates, names of employing organizations, titles of positions held, and locations of projects. For experience in last ten years, also give types of activities performed and client references, where appropriate. Use about two pages.]*

---

**Languages:**

*[For each language, indicate proficiency: excellent, good, fair, or poor in speaking, reading, and writing.]*

---

**Certification:**

I, the undersigned, certify that to the best of my knowledge and belief, these data correctly describe me, my qualifications, and my experience.

**Commitment:**

I also commit to work for the Project in accordance with the time schedule as indicated in the contract once the firm is awarded the Project.

\_\_\_\_\_  
*[Signature of staff member and authorized representative of the firm]* Date: \_\_\_\_\_  
*Day/Month/Year*

Full name of staff member: \_\_\_\_\_  
Full name of authorized representative: \_\_\_\_\_

**SUBSCRIBED AND SWORN** to before me this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*, Philippines. Affiant/s is/are personally known to me and was/were identified by me through competent evidence of identity as defined in the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC). Affiant/s exhibited to me his/her *[insert type of government identification card used]*, with his/her photograph and signature appearing thereon, with no. \_\_\_\_\_.

Witness my hand and seal this \_\_\_\_ day of *[month]* *[year]*.

**NAME OF NOTARY PUBLIC**

**Serial No. of Commission** \_\_\_\_\_  
**Notary Public for** \_\_\_\_\_ **until** \_\_\_\_\_  
**Roll of Attorneys No.** \_\_\_\_\_  
**PTR No.** \_\_, *[date issued]*, *[place issued]*  
**IBP No.** \_\_, *[date issued]*, *[place issued]*

**Doc. No.** \_\_\_\_

**Page No.** \_\_\_\_

**Book No.** \_\_\_\_

**Series of** \_\_\_\_.

## Bid Form for the Procurement of Goods

*[shall be submitted with the Bid]*

### BID FORM

Date : \_\_\_\_\_  
Project Identification No. : \_\_\_\_\_

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

*[Insert this paragraph if Foreign-Assisted Project with the Development Partner:*

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount and Purpose of Commission or gratuity
---------------------------	--


*(if none, state "None") ]*

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: \_\_\_\_\_

Legal capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

Date: \_\_\_\_\_

**Price Schedule for Goods Offered from Within the Philippines**  
*[shall be submitted with the Bid if bidder is offering goods from within the Philippines]*

---

**For Goods Offered from Within the Philippines**

Name of Bidder \_\_\_\_\_ Project ID No. \_\_\_\_\_ Page \_\_\_\_ of \_\_\_\_

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit  (col 5+6+7+8)	Total Price delivered Final Destination  (col 9) x (col 4)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

## **Bid Securing Declaration Form**

*[shall be submitted with the Bid if bidder opts to provide this form of bid security]*

---

REPUBLIC OF THE PHILIPPINES)  
CITY OF \_\_\_\_\_) S.S.

### **BID SECURING DECLARATION** **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED  
REPRESENTATIVE]*

*[Insert signatory's legal capacity]*  
Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*



## Omnibus Sworn Statement (Revised)

*[shall be submitted with the Bid]*

REPUBLIC OF THE PHILIPPINES )  
CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

### AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

*[If a sole proprietorship:]* I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

*[If a partnership, corporation, cooperative, or joint venture:]* I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

*[If a sole proprietorship:]* As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

*[If a partnership, corporation, cooperative, or joint venture:]* I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable);];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

*[If a sole proprietorship:]* The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical

Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a partnership or cooperative:]* None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

*[If a corporation or joint venture:]* None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
10. **In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_ at \_\_\_\_\_, Philippines.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]*

*[Insert signatory's legal capacity]*

Affiant

**[Jurat]**

*[Format shall be based on the latest Rules on Notarial Practice]*

