





STATEMENT OF COMPLIANCE TO THE TECHNICAL SPECIFICATIONS

PROJECT: Refurbishment of TPB pop-up stand display (PR No. 8.055)

Quotation No. TPB-PR.2022.10.402

[Bidders must state here either “Comply” or “Not Comply” against each of the individual parameters of each Specification]

ITEM	SPECIFICATION	STATEMENT OF COMPLIANCE (COMPLY/NOT COMPLY)
1	LOT 1: Refurbishing, Repair, Printing and Production of new image for the Pop-Up display panel (S-type)	
2	<p>Quantity 1 set (front and back panels)</p> <p>Size 20 ft (w) x 7.5 ft (h)</p> <p>Materials High definition Lambda Graphic Panels</p> <p>Preference With Pop-up Collapsible Frame/s</p> <p>Existing Panel Bars collapsible to be supplied by TPB for repair and re-fitting</p> <p>Color Full color-high definition</p> <p>Printing High definition with 2 different image designs (front and back side)</p> <p>Process</p> <p>Others</p> <ul style="list-style-type: none"> • Layout design & new images to be supplied by TPB • Magnets should be attached securely per image making it easy to assemble and dismantle • Full color sticker printing of label for moded case • Existing panel bars/pop-up collapsible frame/s to be supplied by TPB (includes T-lights) <p>Note: defects include 1 plastic lock and total of 33 aluminum panel holder</p> <ul style="list-style-type: none"> • Supplier to ensure repair, refurbishing, and re-fitting of pop-up display main frames and structure <p>Production Lead time 30 calendar days upon approval of the final proof</p> <p>Estimated PhP 130,000.00 (inclusive of VAT)</p>	


3	<p>Interested bidder/s should submit an actual sample of printed panels that they have done before similar to the specifications indicated above</p> <p>Note: The submitted sample will be an integral part of the evaluation process. Thus, failure to submit actual sample/s will mean disqualification of the bidder to proceed with the procurement process.</p>	
4	<p>S-TYPE LOT 1</p> <p style="text-align: center;">SKELETON SIDE A</p>  <p>  =MAGNETS (aluminum panel holder) per side 59 pcs. x 2 = 118 pcs. total magnets on 2 sides is 118 pcs. (1 missing on side A + 32 missing on side B = 33 pcs missingmagnets) (plus 1 defect aluminum magnet panel holder and plastic lock) </p>	
5	<p style="text-align: center;">SKELETON SIDE B</p>  <p>  =MAGNETS (aluminum panel holder) per side 59 pcs. x 2 = 118 pcs. total magnets on 2 sides is 118 pcs. (1 missing on side A + 32 missing on side B = 33 pcs missingmagnets) (plus 1 defect aluminum magnet panel holder and plastic lock) </p>	
6	<p>Magnets (aluminum panel holder) Skeleton actual frame</p>	

	 A curved glass partition with a metal frame, likely for a display or office area. The floor is tiled with a circular pattern. The background shows a room with plants and other furniture.	
7	 A curved glass partition with a landscape image and text. The text reads "Palawan" and "Above ground and underground". The floor is tiled with a circular pattern. A person is visible in the background. <p data-bbox="297 1696 808 1738">ACTUAL FRAME with image on one side</p>	

8	LOT 2: Refurbishing, Repair, Printing and Production of new image for the Pop-Up display panel (Curve-type)	
9	<p>Quantity 1 set (front and back panels)</p> <p>Size 8 ft (w) x 7.5 ft (h)</p> <p>Materials High definition Lambda Graphic Panels</p> <p>Preference With Pop=up Collapsible Frame/s Existing Panel Bars collapsible to be supplied by TPB for repair and re-fitting</p> <p>Color Full color-high definition</p> <p>Printing High definition with 2 different image designs (front and back side)</p> <p>Process</p> <p>Others <ul style="list-style-type: none"> • Layout design & new images to be supplied by TPB • Magnets should be attached securely per image making it easy to assemble and dismantle • Full color sticker printing of label for moded case • Existing panel bars/pop-up collapsible frame/s to be supplied by TPB (includes T-lights) <p>Note: defects include 1 plastic lock and total of 6 aluminum panel holder</p> <ul style="list-style-type: none"> • Supplier to ensure repair, refurbishing, and re-fitting of pop-up display main frames and structure </p> <p>Production 30 calendar days upon approval of the final proof</p> <p>Lead time</p> <p>Estimated Budget PhP 60,000.00 (inclusive of VAT)</p>	
10	<p>Interested bidder/s should submit an actual sample of printed panels that they have done before similar to the specifications indicated above</p> <p>Note: The submitted sample will be an integral part of the evaluation process. Thus, failure to submit actual sample/s will mean disqualification of the bidder to proceed with the procurement process.</p>	


Curve-TYPE LOT 2

SKELETON side A



| =MAGNETS (aluminum panel holder)
per side 24 pcs. x 2 = 48 pcs.
total magnets on 2 sides is 48 pcs.
(6 Missing magnets one 1 side)

SKELETON side B



| =MAGNETS (aluminum panel holder)
per side 24 pcs. x 2 = 48 pcs.
total magnets on 2 sides is 48 pcs.

11

SKELETON(actual frame)





| =MAGNETS (aluminum panel holder)
per side 24 pcs. x 2 = 48 pcs.
total magnets on 2 sides is 48m pcs.
(6 Missing magnets)



ONE SIDE WITH IMAGE

12

	 <p>SIDE A</p>	 <p>SIDE B</p>	

I hereby certify to comply and deliver all of the above requirements.

Name of Company

Signature over Printed Name
of Authorized Representative

Date